

# FITTINGS **MAKES** BY **OZONE** **THE** **WORLD** **GO**



SWING SHOWERS



SLIDING SHOWERS



SLIDE FOLD SHOWERS

**COMPLETE  
SHOWER SYSTEM FOR  
SHOWER ENCLOSURES**

Edition #1

## Innovation for


Ozone embraces the concept of 'Total Vision' to create transparent and elegant commercial spaces, with every fitting in our Architectural Glass Hardware range designed accordingly. As a dynamic company, Ozone offers a wide array of standard and customized Architectural Hardware Solutions. Our solution-centric approach has propelled us from a startup to a leading brand in the industry, supplying high-quality products to over 45 countries worldwide, all with relevant certifications for global markets.

### Manufacturing Capabilities

Our state-of-the-art manufacturing facilities, along with design capabilities, allow us to offer OEM services both in India and Internationally. We provide stainless steel OEM services for the production of casted, machine turning, and sheet metal components in all grades of stainless steel and other metals.

## AUTOMATED STATE-OF-THE-ART Manufacturing Facilities

Our **manufacturing** units are equipped with the latest CNC Machines, Hi-Tech Laser Machines, Water-Jet Cutting Machines, and Automatic Polishing and Robotic Welding Machines to deliver consistent finishes. All units have unique operations that work together continuously at maximum efficiency. Each product is checked for quality and perfection, ensuring the highest level of customer satisfaction.



Scan QR Code for  
Manufacturing Facility

**Cluster-1**  
Kala Amb,  
Himachal Pradesh,  
India



VMC (Vertical Machine Centre)



Polishing Machine



CNC Punching Machine



Welding Centre



**Cluster-2**  
Ghiloth,  
Rajasthan Industrial Area,  
India



# OZONE EXPERIENCE CENTRES



## Ozone Experience Centre - New Delhi

Mehrauli-Gurgaon Road, Opp. Metro Pillar No-94, Gadaipur, Sector - 28, New Delhi - 110030

Explore the new world of Ozone with a diverse range of products, including glass fittings, security solutions, door hardware, partition systems, kitchen & furniture fittings, shower enclosures, wardrobes, automatic doors, and more-all under one roof!

Ozone empowers architects, builders, and homeowners to touch, feel, and explore each product firsthand. With a focus on quality and customization, our vast range of products and solutions can be tailored to meet specific needs and requirements.

Ozone ensures every solution meets and exceeds expectations, providing the perfect blend of functionality, style, and security.

**Visit us and experience the future with Ozone!**



## OZONE EXPERIENCE CENTRE - BENGALURU

Building No. 62, Asha Pearl, 100 Feet Rd, Defence Colony, Indiranagar, Bengaluru, Karnataka - 560038



## OZONE EXPERIENCE CENTRE - CHENNAI

Build HQ, Raja Annamalai, Building, 1st Floor, Rukmani, Lakshmipathi Rd, Egmore, Chennai, Tamil Nadu - 600008



## OZONE EXPERIENCE CENTRE - LUCKNOW

Ground Floor, Eldeco Corporate Chamber -1, Vibhuti Khand, Gomti Nagar, Lucknow - 226010

Our Product Range

For over two decades, Ozone has offered Architectural Hardware Solutions with a diversified portfolio of more than 5000 products. These products are tested and certified internationally for quality, functionality, and performance.

Architectural Hardware

GLASS FITTINGS	SHOWER ENCLOSURES	GLASS RAILING SYSTEMS	AUTOMATIC DOORS
			





Door Hardware, Kitchen & Furniture Fittings

DOOR HARDWARE	DOOR CLOSERS	KITCHEN & FURNITURE FITTINGS	WARDROBE FITTINGS
			

Glass Partition Systems

STEALTH SLIM FRAME DOORS	K-LITE PARTITION SYSTEMS	EAZY PARTITION SYSTEMS	OUTLINER SERIES
			

Safes & Locks

SMART LOCKS	FURNITURE LOCKS	SAFES	SMART DEVICES
			



# OVERVIEW

In today's fast-paced world, Ozone's shower enclosures offer a practical solution for transforming traditional tubs into modern shower spaces. These enclosures efficiently separates dry and wet areas, ensuring a quick, refreshing shower experience while keeping your bathroom clean and organized.

With designs ranging from sleek frameless to classic framed options, Ozone's enhances your bathroom's style and functionality.

## Why Choose Ozone Showers?

**Slim Profiles:**

Profiles ranging from 7mm to 16mm.

**Color Consistency:**

Premium quality hardware and fittings with no shade variation.

**Low Maintenance:**

Easy upkeep for a clean bathroom environment.

**Customizable & Standard Options:**

Tailor your enclosure to fit any space.

**Diverse Range:**

Variety of designs for different styles and layouts.











**Built to Last:**

Made from high-grade SS 304 and Aluminium.

At Ozone, we prioritize your needs and provide adaptable solutions to fit your lifestyle.

## PRODUCT CONTENTS

### SWING SHOWERS

SWING FRAMED				01 - 44
				
01 ASTER SS 304*	02 GRACE SS 304*	03 STEALTH	04 OUTLINER	05 RAY
SWING SEMI-FRAMED				45 - 72
				
06 CASCADE SS 304*	07 ZEN SS 304*	08 RAY		
SWING FRAMELESS				73 - 98
				
09 ELIZA SS 304*	10 ALURA SS 304*			

\*Note: Can be customized against lead time.



PRODUCT  
CONTENTS

SLIDING SHOWERS




SLIDING FRAMED	99 - 116
----------------	----------

		
11 STEALTH	12 SLANT 4507	13 FLAT 4507

SLIDING SEMI-FRAMED	117 - 128
---------------------	-----------



	
14 EAZY SS 304*	15 CORAL

SLIDING FRAMELESS	129 - 140
-------------------	-----------

		
16 ELIZA SL SC SS 304*	17 ELIZA SL SS 304*	18 ELIZA

SLIDE FOLD SHOWERS

SLIDE FOLD SEMI-FRAMED	141 - 148
------------------------	-----------

	
19 LUMINA-11 SS 304*	20 LUMINA-22 SS 304*



SLIDE FOLD FRAMELESS	149 - 154
----------------------	-----------


21 LUMINA-33 SS 304*

WALK-IN SHOWER CABIN	155 - 156
----------------------	-----------


22 WALK-IN SHOWER CABIN

UTILITIES	157 - 158
-----------	-----------

	
SHOWER SEAT	SHOWER SHELF

HARDWARE & ACCESSORIES	159 - 160
------------------------	-----------



## Swing Framed Shower Enclosures

Experience timeless elegance and durability with our Swing Framed Shower Enclosures. Designed for those who value both style and strength, these enclosures feature solid framing that enhances stability while adding a classic touch to your bathroom. Ideal for any space, they bring an elevated aesthetic and reliable support to your shower area.

# ASTER Series

## Premium Stainless Steel 304


### Shower Enclosure with Seamless Look

The Aster Shower Enclosure is designed to blend seamlessly into any bathroom. It offers a sleek, modern solution with concealed hardware that creates a clean, uncluttered look. This versatile enclosure suits both contemporary and classic interiors, elevating your bathroom style. Its standout feature - two-way door movement, allows the door to open in both directions, ensuring easy access and enhanced convenience even in tighter spaces.


#### Features:

- **Premium SS 304 hardware for durability and sturdiness**
- Concealed hardware for a seamless appearance
- Two-way door movement for easy access
- **Long-lasting PVD finish with no shade variation**
- Floor mount SS threshold to separate dry and wet areas


#### Specifications:




Glass Thickness  
10mm



Door Width  
600-700mm



Door Height  
upto 2.7mtr.




Versatile  
Configurations




SS 304 Material


#### Typology:



OZ-ASTER SW-180°  
Linear 180°



OZ-ASTER SW-90°  
Corner 90°



OZ-ASTER SW-T  
Partition T-Type

#### Available Finishes\*



Black Matt




Gun Grey



Brush Gold



Brush Rose  
Gold



PSS

#### \*Note:

- Uniform finish for profile and hardware (throughout the system).
- Can be customized against lead time.





## ASTER

SS 304 Linear 180°

### Product Code

OZ-ASTER SW-180°(1.6x2) GUNGREY  
 OZ-ASTER SW-180°(1.6x2.7) GUNGREY  
 OZ-ASTER SW-180°(1.6x2) PSS  
 OZ-ASTER SW-180°(1.6x2.7) PSS

### Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Height : 2700mm
- Frontal View : 16mm
- Can be customized against lead time.

Two-Way Door Movement for Easy Access





**ASTER**  
SS 304 Corner 90°

**Product Code**  
OZ-ASTER SW-90°(1.6x2x1.3) GUNGREY  
OZ-ASTER SW-90°(1.6x2.7x1.3) GUNGREY  
OZ-ASTER SW-90°(1.6x2x1.3) PSS  
OZ-ASTER SW-90°(1.6x2.7x1.3) PSS

- Specifications:**
- Glass Thickness : 10mm
  - Max. Width : 1600mm
  - Max. Depth : 1300mm
  - Max. Height : 2700mm
  - Frontal View : 16mm
  - Can be customized against lead time.

Two-Way Door Movement for Easy Access





## ASTER

### SS 304 Partition T-Type

#### Product Code

OZ-ASTER SW-T (2.6x2x1.2) GUNGREY  
 OZ-ASTER SW-T (2.6x2.7x1.2) GUNGREY  
 OZ-ASTER SW-T (2.6x2x1.2) PSS  
 OZ-ASTER SW-T (2.6x2.7x1.2) PSS

#### Specifications:

- Glass Thickness : 10mm
- Max. Width : 2600mm
- Max. Depth : 1200mm
- Max. Height : 2700mm
- Frontal View : 16mm
- Can be customized against lead time.

Two-Way Door Movement for Easy Access





# GRACE Series

## Premium Stainless Steel 304

### Shower Enclosure with Slim Profile

The Grace Shower Enclosure strikes the perfect balance between elegance and functionality. Its slim profile adds a refined touch to any bathroom. Its sleek design, highlighted by dual-tone hinges and handles, effortlessly complements your interior décor for a cohesive, stylish look.

Grace also features door seal technology to deflect water and prevent seepage between glass panels, ensuring a dry, clean bathroom environment.

**Features:**

- **Premium hardware for durability and sturdiness**
- Slim profile with dual-tone hinges and handles
- **Long-lasting PVD finish with no shade variation**
- Floor mount SS threshold to separate dry and wet areas
- Door seal to deflect water from penetrating between the glass

**Specifications:**



Glass Thickness  
10mm



Door Width  
600-700mm



Door Height  
upto 2.4mtr.




Versatile  
Configurations




SS 304 Material


**Typology:**



OZ-GRACE-SW-180°  
Linear 180°



OZ-GRACE-SW-90°  
Corner 90°



OZ-GRACE-SW-T  
Partition T-Type

**Available Finishes\***



Black Matt



Gun Grey



Brush Gold



Brush Rose  
Gold



PSS

**\*Note:**

- Uniform finish for profile and hardware (throughout the system).
- Can be customized against lead time.



## GRACE

SS 304 Linear 180°

### Product Code

OZ-GRACE-SW-180° (1.6x2) GUNGREY  
 OZ-GRACE-SW-180° (1.6x2.4) GUNGREY  
 OZ-GRACE-SW-180° (1.6x2) PSS  
 OZ-GRACE-SW-180° (1.6x2.4) PSS

### Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Height : 2400mm
- Frontal View : 20mm
- Can be customized against lead time.

Dual-Tone Hinges & Handles



Drainage Tube





## GRACE

SS 304 Corner 90°

### Product Code

OZ-GRACE-SW-90° (1.6x2x1.3) GUNGREY  
 OZ-GRACE-SW-90° (1.6x2.4x1.3) GUNGREY  
 OZ-GRACE-SW-90° (1.6x2x1.3) PSS  
 OZ-GRACE-SW-90° (1.6x2.4x1.3) PSS

### Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Depth : 1300mm
- Max. Height : 2400mm
- Frontal View : 20mm
- Can be customized against lead time.

Dual-Tone Hinges & Handles



Drainage Tube







## GRACE

### SS 304 Partition T-Type

#### Product Code

OZ-GRACE-SW-T (2.6x2x1.2) GUNGREY  
OZ-GRACE-SW-T (2.6x2.4x1.2) GUNGREY  
OZ-GRACE-SW-T (2.6x2x1.2) PSS  
OZ-GRACE-SW-T (2.6x2.4x1.2) PSS

#### Specifications:

- Glass Thickness : 10mm
- Max. Width : 2600mm
- Max. Depth : 1200mm
- Max. Height : 2400mm
- Frontal View : 20mm
- Can be customized against lead time.

#### Dual-Tone Hinges & Handles



#### Drainage Tube




# STEALTH Series

Premium Aluminium  
Shower Enclosure Swing Door


The Stealth Shower Enclosure enhances your bathroom’s aesthetic with its refined style and luxurious features. It includes a soft-close mechanism for smooth, quiet door operation and a pivot swing door system for easy access. This sleek and modern design adds a touch of elegance to your daily routine.

- Features:**
- Door frame profile for 8mm glass
  - Customizable door sizes
  - Bottom threshold to separate dry & wet areas


**Specifications:**




Glass Thickness  
8mm




Door Width  
1.2mtr.



Door Height  
upto 2.8mtr.




Tested  
**50,000**  
Cycles



Weight  
Carrying  
Capacity  
**90Kg**

**Line Drawing:**



**Available Finish**





## Pivoted Framed Shower Door System

Aluminium

**Product Code**  
OSTF-SW1-HWC 2.9M BM


**Specifications:**

- Glass Thickness : 8mm
- Max Width : 1200mm
- Max Height : 2800mm
- Frontal View : 16mm

Swing Door Lock  
Coin-to-Knob



Swing Door Lock  
Key-to-Knob





# OUTLINER Series

## Shower Enclosures with Impressive Height of Upto 2.5mtr.


The Outliner Shower Enclosure is designed to make a bold statement. Its impressive 2.5-meter height offers a sense of grandeur and spaciousness in your bathroom.

Ideal for those seeking an expansive shower experience, the Outliner enhances the overall ambience and can be customized in various premium finishes to perfectly complement your interior style.


### Features:

- Slim profile design
- Floor mounted threshold profile to separate dry and wet areas
- Magnetic closure for smooth, silent closing
- Customizable panel width and height
- Single-way movement


### Specifications:




Glass Thickness  
10mm



Door Width  
600-700mm




Door Height  
upto 2.5mtr.




Versatile  
Configurations

### Typology:



OUTLINER EN-44  
OUTLINER EN-55  
Linear 180°



OUTLINER EN-22  
OUTLINER EN-33  
Corner 90°

### Available Finishes\*



Black Matt



Phantom  
Grey



Tan Brass

### \*Note:

- Uniform finish for profile and hardware (throughout the system).
- Can be customized against lead time.



## OUTLINER-11

Aluminium

### Product Code

Framed Shower System 180° WTG - Single Door

### Specifications:

- Glass Thickness : 10mm
- Max Width : upto 700mm
- Max Height : upto 2500mm
- Frontal View : 15mm

Hinge



Towel Bar with Handle





## OUTLINER-22

Aluminium

### Product Code

Framed Shower System 90° - GTG - 90° Hinge

### Specifications:

- Glass Thickness : 10mm
- Max Width : 1500mm
- Max Depth : 1000mm
- Max Height : 2100mm
- Frontal View : 15mm

Hinge



Towel Bar with Handle







## OUTLINER-33

Aluminium

### Product Code

Framed Shower System 90° - GTG - 180° Hinge

Available in 2mtr. & 2.5mtr.

### Specifications:

- Glass Thickness : 10mm
- Max Width : 1500mm
- Max Depth : 1000mm
- Max Height : 2100/2500mm
- Frontal View : 15mm

Hinge



Towel Bar with Handle





OUTLINER-44  
Aluminium


**Product Code**  
Framed Shower System 180° - GTG - 180° Hinge

- Specifications:**
- Glass Thickness : 10mm
  - Max Width : 1500mm
  - Max Height : 2100mm
  - Frontal View : 15mm

Hinge



Towel Bar with Handle





**OUTLINER-55**  
Aluminium


**Product Code**  
Framed Shower System 180° - WTG  
Available in 2.2mtr. & 2.5mtr.

- Specifications:**
- Glass Thickness : 10mm
  - Max Width : 1500mm
  - Max Height : 2200/2500mm
  - Frontal View : 15mm

Hinge



Towel Bar with Handle





# RAY Series


## Aluminium Shower Enclosure with Concealed Hinges

The Ray Shower Enclosure combines refined aesthetics with robust engineering. It features concealed hinges for a seamless, minimalist look. The 18mm panel width provides durability, while the magnetic lock and heavy-duty concealed hinges enhance security and style.


**Features:**

- Suitable for heights upto 3000mm
- Magnetic seal to separate dry and wet areas
- Heavy-duty concealed hinges
- Fixed panel width and height are customizable
- Installation-friendly design


**Specifications:**




Glass Thickness  
8-10mm




Door Width  
(Openable)  
750-800mm



Fixed Panel  
Width  
upto 900mm




Door Height  
3000mm




Versatile  
Configurations


**Typology:**




OZ-RAY-SW-11  
Linear 180°



OZ-RAY-SW-22  
Corner 90°



OZ-RAY-SW-33  
135°



OZ-RAY-SW-44  
Partition T-Type

**Available Finishes**



Black Matt



Brushed  
Gold



## RAY

Aluminium Linear 180°


**Product Code**  
OZ-RAY-SW-11 2 X 3M BM  
OZ-RAY-SW-11 2 X 3M BRUSHED GOLD

- Specifications:**
- Fixed Panel Width : Upto 900mm
  - Door Width (Openable) : 750 - 800mm
  - Max Height : 3000mm
  - Panel Movement : Swing type
  - Panel Opening : 90°
  - Front view of door profile : 18mm
  - Front view of fixed profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge





## RAY

Aluminium Corner 90°

### Product Code

OZ-RAY-SW-22 1.5 X 1 X 3M BM

OZ-RAY-SW-22 1.5 X 1 X 3M BRUSHED GOLD


### Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front view of door profile : 18mm
- Front view of fixed profile : 16mm

### Concealed Magnetic Catcher



### Towel Bar with Handle



### Concealed Hinge







# RAY

Aluminium 135°

**Product Code**

OZ-RAY-SW-33 1 X 0.8 X 1 X 3M BM

OZ-RAY-SW-33 1 X 0.8 X 1 X 3M BRUSHED GOLD


**Specifications:**

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front view of door profile : 18mm
- Front view of fixed profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge





RAY  
Aluminium Partition T-Type


**Product Code**  
OZ-RAY-SW-44 2.4 X 1.2 X 3M BM  
OZ-RAY-SW-44 2.4 X 1.2 X 3M BRUSHED GOLD

- Specifications:**
- Fixed Panel Width : 400 - 900mm
  - Door Width (Openable) : 750 - 800mm
  - Max Height : 1500 - 3000mm
  - Panel Movement : Swing type
  - Panel Opening : 90°
  - Front view of door profile : 18mm
  - Front view of fixed profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge





## Swing Semi-Framed Shower Enclosures

For a contemporary take on shower design, our Swing Semi-Framed Shower Enclosures offer the perfect blend of modern minimalism and structural support. With reduced framing, these enclosures provide a sleek, open feel without sacrificing stability. Ideal for smaller bathrooms or those seeking a streamlined look, they combine function and style seamlessly.



# CASCADE Series

## Premium Stainless Steel 304

### Shower Enclosure for Small Spaces

The Cascade Shower Enclosure is expertly crafted to maximize functionality in compact bathrooms without compromising style or comfort. Its sleek design optimizes space, making it perfect for urban living or any setting where space is a premium.

**Features:**

- Premium SS 304 hardware for durability and sturdiness
- Long-lasting PVD finish with no shade variation
- Floor mount SS threshold profile to separate dry and wet areas

**Specifications:**



Glass Thickness  
8mm



Door Width  
750mm



Door Height  
upto 2.8mtr.




Versatile  
Configurations




SS 304 Material


**Typology:**



OZ-CASCADE SW-180°  
Linear 180°



OZ-CASCADE SW-90°  
Corner 90°



OZ-CASCADE SW-C  
C-Type

**Available Finishes\***



Black Matt



Gun Grey



Brush Gold



Brush Rose  
Gold



PSS

**\*Note:**

- Uniform finish for profile and hardware (throughout the system).
- Can be customized against lead time.



## CASCADE

SS 304 Linear 180°

### Product Code

OZ-CASCADE SW-180°(1.6x2.2) GUNGREY  
OZ-CASCADE SW-180°(1.6x2.2) PSS

### Specifications:

- Glass Thickness : 8mm
- Max Width : 1600mm
- Max Height : 2200mm
- Frontal View : 15mm
- Can be customized against lead time.

### Slim Design Hinges



### Towel Bar





## CASCADE

SS 304 Corner 90°

### Product Code

OZ-CASCADE SW-90°(1.2x2.2x0.8) GUNGREY  
 OZ-CASCADE SW-90°(1.8x2.2x1.2) GUNGREY  
 OZ-CASCADE SW-90°(1.2x2.2x0.8) PSS  
 OZ-CASCADE SW-90°(1.8x2.2x1.2) PSS

### Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1200mm
- Max Height : 2200mm
- Frontal View : 15mm
- Can be customized against lead time.

### Slim Design Hinges



### Towel Bar







## CASCADE

### SS 304 C-Type

#### Product Code

OZ-CASCADE SW-C (1x0.7x0.7x2.8) GUNGREY  
 OZ-CASCADE SW-C (1.8x1.4x1.4x2.8) GUNGREY  
 OZ-CASCADE SW-C (1x0.7x0.7x2.8) PSS  
 OZ-CASCADE SW-C (1.8x1.4x1.4x2.8) PSS

#### Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1400mm
- Max Height : 2800mm
- Frontal View : 15mm
- Can be customized against lead time.

Slim Design Hinges



Towel Bar



# ZEN Series

## Premium Stainless Steel 304 Shower Enclosure with Dual-Side Handles & Square Hinges

The Zen Shower Enclosure combines functionality with modern design, featuring convenient dual-side handles. The exterior has a full-height handle for a striking vertical accent, while the interior includes a towel bar handle for added functionality. The square hinges provide a modern element, enhancing the minimalist design while offering strong support.

**Features:**

- Premium SS 304 hardware for durability and sturdiness
- Long-lasting PVD finish with no shade variation
- Floor mount SS threshold profile to separate dry and wet areas

**Specifications:**

Glass Thickness  
8mm


Door Width  
750mm

Door Height  
upto 2.8mtr.


Versatile  
Configurations

SS 304 Material


**Typology:**



OZ-ZEN SW-180°  
Linear 180°



OZ-ZEN SW-90°  
Corner 90°



OZ-ZEN SW-C  
C-Type

**Available Finishes\***

Black Matt

Gun Grey

Brush Gold

Brush Rose Gold

PSS

- \*Note:**
- Uniform finish for profile and hardware (throughout the system).
  - Can be customized against lead time.



ZEN  
SS 304 Linear 180°

- Product Code**  
OZ-ZEN SW-180°(1x2.6) GUNGREY  
OZ-ZEN SW-180°(1.8x2.6) GUNGREY  
OZ-ZEN SW-180°(1x2.6) PSS  
OZ-ZEN SW-180°(1.8x2.6) PSS

- Specifications:**
- Glass Thickness : 8mm
  - Max Width : 1800mm
  - Max Height : 2600mm
  - Frontal View : 15mm
  - Can be customized against lead time.

Minimalistic Design Hinges



Outside Full  
Height Handle





## ZEN

SS 304 Corner 90°

### Product Code

OZ-ZEN SW-90°(1x2.6x0.8) GUNGREY  
 OZ-ZEN SW-90°(1.8x2x1.2) GUNGREY  
 OZ-ZEN SW-90°(1.8 x2.6x1.2) GUNGREY  
 OZ-ZEN SW-90°(1x2.6x0.8) PSS  
 OZ-ZEN SW-90°(1.8x2x1.2) PSS  
 OZ-ZEN SW-90°(1.8 x2.6x1.2) PSS

### Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1200mm
- Max Height : 2600mm
- Frontal View : 15mm
- Can be customized against lead time.

Minimalistic Design Hinges



Outside Full  
Height Handle



## ZEN

### SS 304 Partition C-Type


#### Product Code

OZ-ZEN SW-C(1x0.7x0.7x2.8) GUNGREY  
 OZ-ZEN SW-C(1.8x1.4x1.4x2.8) GUNGREY  
 OZ-ZEN SW-C(1x0.7x0.7x2.8) PSS  
 OZ-ZEN SW-C(1.8x1.4x1.4x2.8) PSS

#### Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1400mm
- Max Height : 2800mm
- Frontal View : 15mm
- Can be customized against lead time.

Minimalistic Design Hinges



Outside Full Height Handle

# RAY Series


## Aluminium Shower Enclosure with Rectangular Shaped Hinges

Enhance your bathroom design with the RAY Series Aluminium Shower Enclosure. With slim door hinges and a minimalist aesthetic, this enclosure is crafted for durability and style.


**Features:**

- Suitable for heights upto 3000mm
- Magnetic seal to separate dry and wet areas
- Rectangular shaped door hinges
- Fixed panel width and height are customizable
- Installation-friendly design


**Specifications:**




Glass Thickness  
8-10mm




Door Width  
(Openable)  
750-800mm



Fixed Panel  
Width  
upto 900mm




Door Height  
3000mm




Versatile  
Configurations


**Typology:**




OZ-RAY-SW-111  
Linear 180°



OZ-RAY-SW-222  
Corner 90°



OZ-RAY-SW-333  
135°



OZ-RAY-SW-444  
Partition T-Type

**Available Finishes**



Black Matt



Brush Gold





## RAY

Aluminium Linear 180°

### Product Code


OZ-RAY-SW-111 2.3 X 3M BM

OZ-RAY-SW-111 2.3 X 3M BRUSHED GOLD

### Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front view of fixed profile : 16mm

Towel Bar with Handle



Hinge





## RAY

Aluminium Corner 90°

### Product Code


OZ-RAY-SW-222 1.5 X 1 X 3M BM

OZ-RAY-SW-222 1.5 X 1 X 3M BRUSHED GOLD

### Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750-800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front view of fixed profile : 16mm

Towel Bar with Handle



Hinge





## RAY

Aluminium 135°

### Product Code


OZ-RAY-SW-333 1 X 0.8 X 1 X 3M BM

OZ-RAY-SW-333 1 X 0.8 X 1 X 3M BRUSHED GOLD

### Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750-800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front view of fixed profile : 16mm

Towel Bar with Handle



Hinge







## RAY

### Aluminium Partition T-Type

#### Product Code


OZ-RAY-SW-444 2.4 X 1.2 X 3M BM

OZ-RAY-SW-444 2.4 X 1.2 X 3M BRUSHED GOLD

#### Specifications:

- Fixed Panel Width : 400 - 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front view of fixed profile : 16mm

Towel Bar with Handle



Hinge





## Swing Frameless Shower Enclosures

Achieve a modern, minimalist look with our Swing Frameless Shower Enclosures. Designed to provide an open, airy feel, these enclosures are crafted without traditional framing, giving your bathroom a sleek and seamless appearance.

# ELIZA Series


## Premium SS 304 & Brass Shower Enclosure

The Eliza Swing Frameless Shower Enclosure combines sophistication and practicality, featuring a frameless design that adds a sleek, minimalist touch to your bathroom. Crafted from high-quality SS 304 stainless steel and brass, this enclosure offers both durability and luxury.


**Features:**

- Swing functionality for smooth and effortless door movement
- Frameless design for a clean, minimalist aesthetic
- Versatile configurations to suit your bathroom’s layout and design


**Specifications:**




Glass Thickness  
8-10mm




Door Height  
upto 2.1mtr.



Versatile  
Configurations




SS 304 &  
Brass Material




Door Width  
upto 750mm


**Typology:**




ELIZA SW-11  
ELIZA SW-22  
Linear 180°



ELIZA SW-33  
Corner 90°




ELIZA SW-44  
135°



ELIZA SW-55  
Partition T-Type

**Available Finishes**



Black Matt



GG-PVD



RGG-PVD



PSS





## ELIZA

SS 304 Linear 180°  
Frameless Shower System

### Product Code

ELIZA SW-11

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Width : 2000mm
- Max Weight : 35-40kg

Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges



Towel Bar





## ELIZA

SS 304 Linear 180°  
Frameless Shower System

### Product Code

ELIZA SW-22

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Width : 1500mm
- Max Weight : 35-40kg

Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges



Towel Bar





## ELIZA

SS 304 Corner 90°  
Frameless Shower System

### Product Code

ELIZA SW-33

### Specifications:


- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Depth : 1200mm
- Max Width : 1500mm
- Max Weight : 35-40kg

Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges



Towel Bar







## ELIZA

SS 304 135°  
Frameless Shower System

### Product Code

ELIZA SW-44

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 40-45kg

Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges



Towel Bar





## ELIZA

SS 304 T-Type  
Frameless Shower Enclosures

### Product Code

ELIZA SW-55

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Depth : 1200mm
- Max Width : 2300mm
- Max Weight : 35-40kg

Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges



Towel Bar





ELIZA 180°/90°/135°/T-TYPE

Hinges



Product Code
OSSH-11-ED STD BM
OSSH-11-ED STD PSS
OSSH-11-ED STD
ROSE-GOLD G-PVD
OSSH-11-ED STD G-PVD

Wall-To-Glass Hinge



Product Code
OSSH-22-ED STD BM
OSSH-22-ED STD PSS
OSSH-22-ED STD
ROSE-GOLD G-PVD
OSSH-22-ED STD G-PVD

Glass-To-Glass Hinge 180°



Product Code
OSSH-33-ED STD BM
OSSH-33-ED STD PSS
OSSH-33-ED STD
ROSE-GOLD G-PVD
OSSH-33-ED STD G-PVD

Glass-To-Glass Hinge 135°



Product Code
OSSH-44-ED STD BM
OSSH-44-ED STD PSS
OSSH-44-ED STD
ROSE-GOLD G-PVD
OSSH-44-ED STD G-PVD

Glass-To-Glass Hinge 90°



Product Code
OSSH-55-ED STD BM
OSSH-55-ED STD PSS
OSSH-55-ED STD
ROSE-GOLD G-PVD
OSSH-55-ED STD G-PVD

Wall-To-Glass Bracket

Connectors




Product Code
OGC-111-ED STD PSS
OGC-111-ED STD BM
OGC-111-ED STD
ROSE-GOLD G-PVD
OGC-111-ED STD
GOLD G-PVD

Wall/Floor to Glass Connector



Product Code
OGC-222-ED STD PSS
OGC-222-ED STD BM

Glass-to-Glass Connector 135°



Product Code
OGC-333-ED STD PSS
OGC-333-ED STD BM
OGC-333-ED STD
ROSE-GOLD G-PVD
OGC-333-ED STD
GOLD G-PVD

Glass-to-Glass Connector 90°



Product Code
OGC-444-ED STD PSS
OGC-444-ED STD BM
OGC-444-ED STD
ROSE-GOLD G-PVD
OGC-444-ED STD
GOLD G-PVD

Wall-to-Glass Connector 90°




Product Code
OGC-555-ED STD PSS
OGC-555-ED STD BM
OGC-555-ED STD
ROSE-GOLD G-PVD
OGC-555-ED STD
GOLD G-PVD

Glass-to-Glass Connector 180°


ELIZA 180°/90°/135°/T-TYPE

Tracks




Product Code
OSSKH-ACC-25T-ED 2M BM
OSSKH-ACC-25T-ED 2M PSS
OSSKH-ACC-25T-ED 2M PSS-PVD
OSSKH-ACC-25T-ED 2M ROSE-GOLD G-PVD
OSSKH-ACC-25T-ED 2M GOLD G-PVD

Connector Track



Product Code
OSSKH-ACC-25T-ED 1.65M PSS
OSSKH-ACC-25T-ED 1.65M PSS-PVD
OSSKH-ACC-25T-ED 1.65M GOLD G-PVD


Connector Track



Product Code
OSSKH-ACC-25T-ED 2.5M PSS
OSSKH-ACC-25T-ED 2.5M PSS-PVD
OSSKH-ACC-25T-ED 2.5M
ROSE-GOLD G-PVD
OSSKH-ACC-25T-ED 2.5M GOLD G-PVD
OSSKH-ACC-25T-ED 2.5M GOLD M-PVD


Connector Track

Towel Bars



Product Code
OGH-TB-1S STD PSS
OGH-TB-1S STD BM
OGH-TB-1S STD
ROSE-GOLD G-PVD
OGH-TB-1S STD G-PVD

Flattened Towel Bar with Knob



Product Code
OGH-TB-ED SQ PSS
OGH-TB-ED SQ BM

Towel Bar with Square Pipe



Product Code
OGH-TB-ED STD PSS
OGH-TB-ED STD BM
OGH-TB-ED STD
ROSE-GOLD G-PVD
OGH-TB-ED STD
GOLD G-PVD

Towel Bar with Handle

Knight Head Fittings



Product Code
OSSKH-1-ED STD PSS
OSSKH-1-ED STD BM
OSSKH-1-ED STD
ROSE-GOLD G-PVD
OSSKH-1-ED STD
GOLD G-PVD

Wall-to-track Connector

Knight Head Fittings



Product Code
OSSKH-2-ED STD PSS
OSSKH-2-ED STD BM
OSSKH-2-ED STD
ROSE-GOLD G-PVD
OSSKH-2-ED STD
GOLD G-PVD

Track-to-Glass Connector



Product Code
OSSKH-3-ED STD PSS
OSSKH-3-ED STD BM
OSSKH-3-ED STD
ROSE-GOLD G-PVD
OSSKH-3-ED STD
GOLD G-PVD

Glass-to-track end Connector



# ALURA Series

## Premium SS 304 Shower Enclosure

The Alura Swing Frameless Shower Enclosure combines refined elegance with practical design. Its sleek, frameless structure creates a minimalist, open feel in your bathroom. The swing functionality provides smooth and easy access, while the compact hinges ensure flawless door movement with a streamlined look.

**Features:**

- Swing functionality for effortless door movement
- Frameless design for a clean, modern, and minimalist aesthetic
- Compact hinges provide a sleek look while ensuring smooth, reliable operation

**Specifications:**



Glass Thickness  
8-10mm




Door Height  
upto 2.1mtr.




SS 304  
Material


**Typology:**



ALURA SW-11  
Linear 180°




ALURA SW-22  
Corner 90°




ALURA SW-33  
135°

**Available Finish**



PSS



## ALURA

SS 304 Linear 180°

Frameless Shower System

### Product Code

OZ-ALURA SW-11 1.5X2.1M PSS

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 35-40kg

Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges





## ALURA

SS 304 Corner 90°

Frameless Shower System

### Product Code

OZ-ALURA SW-22 1.5X1.2X2.1M PSS

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 35-40kg

Uniform finish throughout the system.  
Ready to fit available in stock.

### Hinges







## ALURA

SS 304 135°

Frameless Shower System

### Product Code

OZ-ALURA SW-33 0.7X0.7X0.7X2.1M PSS

### Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 35-40kg


Uniform finish throughout the system.  
Ready to fit available in stock.

Hinges



ALURA 180°/90°/135°/T-TYPE

Shower Hinges for 6/8/10mm Glass



Product Code

OSSH-111-ED PSS

Glass Connector for Wall / Floor Mounting



Product Code

OSSH-222-ED PSS

Glass-To-Glass Hinge 180°



Product Code

OSSH-333-ED PSS

Wall-To-Glass Hinge 135°



Product Code

OSSH-444-ED PSS

Glass-To-Glass Hinge 90°



Product Code

OSSH-555-ED PSS

Wall-To-Glass Bracket

Glass Connectors



Product Code

OGC-1 STD PSS

Wall-To-Glass Hinge



Product Code

OGC-2 STD PSS

Glass-To-Glass Connector 135°



Product Code

OGC-3 STD PSS

Glass-To-Glass Connector 90°



Product Code

OGC-4 STD PSS

Wall-To-Glass Connector 90°



Product Code

OGC-5 STD PSS

Glass-To-Glass Connector 180°



Product Code

OGC-111-ED STD PSS

Wall/Floor to Glass Connector



Product Code

OGC-222-ED STD PSS

Glass-to-Glass Connector 135°



Product Code

OGC-333-ED STD PSS

Glass-to-Glass Connector 90°



Product Code

OGC-444-ED STD PSS

Wall-to-Glass Connector 90°



Product Code

OGC-555-ED STD PSS

Glass-to-Glass Connector 180°

ALURA 180°/90°/135°/T-TYPE

Knight Head Fittings



Product Code

OSSKH-1-ED STD PSS

Wall-to-track Connector



Product Code

OSSKH-2-ED STD PSS

Track-to-Glass Connector



Product Code

OSSKH-3-ED STD PSS


Glass-to-track end Connector



Product Code

OSSKH-3 STD PSS

Glass-to-track end Connector



Product Code

OSSKH-3 STD PSS

Glass-to-track end Connector




Product Code

OSSKH-3 STD PSS

Glass-to-track end Connector

Tracks




Product Code

OSSKH-ACC-25T-ED 2M PSS

OSSKH-ACC-25T-ED 1.65M PSS

OSSKH-ACC-25T-ED 1M PSS

Connector Track




Product Code

OSKH-ACC-19 2M PSS

OSKH-ACC-19 3M PSS

Connector Track

Towel Bar Handle



Product Code

OGH-TB-1S STD PSS

OGH-TB-1S STD BM


OGH-TB-1S STD

ROSE-GOLD G-PVD

OGH-TB-1S STD

GOLDG-PVD

Flattended Towel Bar with Knob




Product Code

OGH-TB-ED SQ PSS

OGH-TB-ED SQ BM

Towel Bar with Square Pipe



Product Code

OGH-TB-ED STD PSS

OGH-TB-ED STD BM

OGH-TB-ED STD

ROSE-GOLD G-PVD

OGH-TB-ED STD

GOLD G-PVD

Towel Bar with Handle



Product Code

OGH-TB-1 STD PSS

OGH-TB-1 STD BM

OGH-TB-1 STD

ROSE-GOLD G-PVD

OGH-TB-1 STD

GOLD G-PVD

Towel Bar with Handle



## Sliding Framed Shower Enclosures

Our sliding framed shower enclosures bring timeless style and stability to your bathroom. The sturdy framing provides enhanced support, while the sliding doors offer easy access and a space-saving design, making them ideal for bathrooms of all sizes.



# STEALTH Series


# Premium Aluminium Framed Sliding Shower System

The STEALTH Series offers customizable shower solutions designed to prevent water spillage with its interlocking profile. The adjustable door height ensures flexibility for various spaces, while the optional threshold profile maintains a clear distinction between wet and dry areas. Ideal for modern bathrooms, the system features optional handles and customizable door panels for a personalized experience.


### Features:

- Soft open & soft close mechanism
- Frontal view with a 16mm visible side
- Ceiling-mounted system
- No bottom track ensures a clear passage without obstruction
- Adjustment for door & fixed panel possible, even after installation
- Threshold profile optional for keeping dry and wet areas separate
- Tested up to 50,000 cycles
- Easy to fabricate
- Easy to install


### Specifications:



Glass Thickness  
8-10mm




Door Height  
upto 3mtr.



Door Width  
1200mm

**Line Drawing:**



### Available Finishes:



Black Matt




Vintage Brass  
Brush



Rose Gold  
Luxe Brush

Phantom  
Grey

Tan Brass



Antique Brass  
Luxe Brush\*



Black Luxe  
Glossy\*

Note: \*Available on request



SLIM FRAME SLIDING - 1+1

Aluminium  
Framed Sliding Shower Enclosures

Product Code

- OSTF-SL-SH-SYS-1+1, 2.4MX3M BM
- OSTF-SL-SH-SYS-1+1, 2.4MX3M VB-B
- OSTF-SL-SH-SYS-1+1, 2.4MX3M RG-LX-B
- OSTF-SL-SH-SYS-1+1, 2.4MX3M PHANTOM GREY
- OSTF-SL-SH-SYS-1+1, 2.4MX3M TAN BRASS

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Frontal View : 16mm (4516)
- Top Track Length : 3.6mtr.
- Max. Width : 2400mm
- Max. Height : 3000mm

Uniform finish throughout the system.

Sliding Handle



Z Handle





SLIM FRAME SLIDING - 2+1

Aluminium  
Framed Sliding Shower Enclosures

Product Code

- OSTF-SL-SH-SYS-2+1, 3.5MX3M BM
- OSTF-SL-SH-SYS-2+1, 3.5MX3M VB-B
- OSTF-SL-SH-SYS-2+1, 3.5MX3M RG-LX-B
- OSTF-SL-SH-SYS-2+1, 3.5MX3M PHANTOM GREY
- OSTF-SL-SH-SYS-2+1, 3.5MX3M TAN BRASS

Specifications:

- Door Configuration : 2 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Frontal View : 16mm (4516)
- Top Track Length : 3.6mtr.
- Max. Width : 3500mm
- Max. Height : 3000mm

Uniform finish throughout the system.

Sliding Handle



Z Handle







SLIM FRAME SLIDING - 2+2

Aluminium  
Framed Sliding Shower Enclosures

Product Code

- OSTF-SL-SH-SYS-2+2, 3.5MX3M BM
- OSTF-SL-SH-SYS-2+2, 3.5MX3M VB-B
- OSTF-SL-SH-SYS-2+2, 3.5MX3M RG-LX-B
- OSTF-SL-SH-SYS-2+2, 3.5MX3M PHANTOM GREY
- OSTF-SL-SH-SYS-2+2, 3.5MX3M TAN BRASS

Specifications:

- Door Configuration : 2 Fixed + 2 Sliding Door
- Glass Thickness : 8-10mm
- Frontal View : 16mm (4516)
- Top Track Length : 3.6mtr.
- Max. Width : 3500mm
- Max. Height : 3000mm

Uniform finish throughout the system.

Sliding Handle



Z Handle



# STEALTH Series


## Axis Premium Aluminium Framed Sliding Shower System

The Axis 45x07 offers a functional, aesthetic solution with a 7mm visible side and beveled edges. The ceiling-mounted system eliminates the need for a bottom track, ensuring a clear, unobstructed passage. Adjustable doors and fixed panels allow flexibility even after installation, ensuring easy customization.


**Features:**

- Soft open & soft close mechanism
- Frontal view with a 7mm visible side with a beveled look
- Ceiling-mounted system
- No bottom track ensures a clear passage without obstruction
- Adjustment for door & fixed panel possible, even after installation
- Threshold profile optional for keeping dry and wet areas separate
- Tested upto 50,000 cycles
- Easy to fabrication
- Easy to install

**Specifications:**



**Line Drawing:**



**Available Finishes:**



Note: \*Available on request



AXIS SLIM FRAME (4507)  
SLIDING SHOWER SYSTEM (1+1)

Aluminium

Product Code

- OSTF7S-SL-SH-SYS-1+1, 2.4MX3M BM
- OSTF7S-SL-SH-SYS-1+1, 2.4MX3M VB-B
- OSTF7S-SL-SH-SYS-1+1, 2.4MX3M RG-LX-B
- OSTF7S-SL-SH-SYS-1+1, 2.4MX3M PHANTOM GREY
- OSTF7S-SL-SH-SYS-1+1, 2.4MX3M TAN BRASS

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 1200mm
- Door Height : 3000mm
- Frontal View : 7mm (4507)
- Top Track Lengths : 3.65mtr.

Uniform finish throughout the system



# STEALTH Series


## Linea Premium Aluminium Framed Sliding Shower System

The Linea 45x07 shares many practical features with the Linea 45x07. It offers a sleek, minimalist design with the same 7mm visible side and beveled edges. The ceiling-mounted system, no bottom track, and easy adjustability make it a versatile option for any bathroom.


**Features:**

- Soft open & soft close mechanism
- Frontal view with a 7mm visible side with a bevel look
- Ceiling-mounted system
- No bottom track ensures a clear passage without obstruction
- Adjustment for door & fixed panel possible, even after installation
- Threshold profile optional for keeping dry and wet areas separate
- Tested upto 50,000 cycles
- Easy to fabrication
- Easy to install

**Specifications:**



**Line Drawing:**



**Available Finishes:**



Note: \*Available on request



LINEA SLIM FRAME (4507)  
SLIDING SHOWER SYSTEM (1+1)

Aluminium

Product Code

- OSTF7F-SL-SH-SYS-1+1, 2.4MX3M BM
- OSTF7F-SL-SH-SYS-1+1, 2.4MX3M VB-B
- OSTF7F-SL-SH-SYS-1+1, 2.4MX3M RG-LX-B
- OSTF7F-SL-SH-SYS-1+1, 2.4MX3M PHANTOM GREY
- OSTF7F-SL-SH-SYS-1+1, 2.4MX3M TAN BRASS

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 1200mm
- Door Height : 3000mm
- Frontal View : 7mm (4507)
- Top Track Lengths : 3.65mtr.

Uniform finish throughout the system



## Sliding Semi-Framed Shower Enclosures

For those seeking a modern touch with subtle framing, our Sliding Semi-Framed Shower Enclosures offer the perfect balance of stability and style. With minimal framing around the edges, these enclosures provide structural support while maintaining an open, contemporary look.



# EAZY Series

## Premium SS 304 Shower Enclosure

The Eazy Series Shower Enclosure offers a seamless combination of durability, style, and functionality. With its sliding door mechanism, this enclosure provides easy access while maintaining a sleek, modern aesthetic. Designed for ease of installation, the Eazy Series ensures a hassle-free upgrade to your bathroom space.

**Features:**

- Sliding door functionality for smooth and efficient access
- Premium SS 304 hardware for enhanced durability and sturdiness
- Easy-to-install system for quick setup
- Customizable system width

**Specifications:**



Glass Thickness  
8mm




Door Height  
upto 2.5mtr.




SS 304 Material

**Typology:**



EAZY SHOWER-11  
Linear 180°



EAZY SHOWER-22  
Corner 90°

**Available Finishes**



Black Matt



CP



## EAZY SHOWER-11

SS 304 Semi-Framed Sliding Shower System

### Product Code

OZSL-F22-180° L 2.5X2.5M CP/BM

OZSL-F22-180° R 2.5X2.5M CP/BM

### Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8mm
- Door Height : 2500mm
- Door Weight : 45kg
- Track Length : 2500mm
- Standard Finishes : CP & BM

Uniform finish throughout the system.



# EAZY SHOWER-22

SS 304 Semi-Framed Sliding Shower System

**Product Code**

OZSL-F22-90° L 2X2X2.5M CP/BM

OZSL-F22-90° R 2X2X2.5M CP/BM

**Specifications:**

- Door Configuration : 2 Fixed + 1 Sliding Door
- Glass Thickness : 8mm
- Door Height : 2500mm
- Door Weight : 45kg
- Track Length : 2000mm
- Standard Finishes : CP & BM

Uniform finish throughout the system.



# CORAL\* Series


## Curved Design for Aesthetic Appeal & Space-Saving Functionality

The Coral Shower Enclosure seamlessly blends sleek, curved aesthetics with space-saving functionality, offering both style and practicality for your bathroom. Featuring a center-opening dual sliding shower door, the Coral ensures smooth and easy access while elevating the overall visual appeal of your bathroom space. Its smart design also optimizes space, making it an ideal choice for smaller or compact bathrooms.


**Features:**

- Center-opening dual sliding shower door for easy access
- Magnetic seal to securely lock the door and prevent water leakage
- Enhanced water containment to reduce splashing and keeping your bathroom dry
- Space-saving design
- Easy-to-install


**Specifications:**



Glass Thickness  
6-8mm




Aluminium  
Material



Door Height  
upto 2mtr.

**\*Please Note:** Product is available on order

**Typology:**



CORAL SL-11  
Corner 90°

**Available Finishes\***



Black Matt



PSS



Gold


- \*Note:**
- Uniform finish for profile and hardware (throughout the system).
  - Can be customized against lead time.



**CORAL SL-11**  
Curved Sliding Shower System

**Product Code**  
OZ-CORAL-SL-11 1.2X1.2X2M BM  
OZ-CORAL-SL-11 1.2X1.2X2M PSS  
OZ-CORAL-SL-11 1.2X1.2X2M GOLD

- Specifications:**
- Door Configuration : 1 Fixed + 1 Sliding + 1 Sliding + 1 Fixed
  - Max Width : 1200mm
  - Max Depth : 1200mm
  - Max Height : 2000mm
  - Glass Thickness : 6-8mm
  - Door Weight : 45kg



## Sliding Frameless Shower Enclosures

With our sliding frameless shower enclosures, you can achieve ultimate sophistication and minimalist aesthetic. Featuring a frameless design, these enclosures provide a spacious, open feel that enhances the light flow and creates a luxurious, spa-like atmosphere.



# ELIZA Series


Premium SS 304  
Sliding Shower System

The ELIZA Series combines sophisticated functionality with modern design. This sliding shower system features a soft-close mechanism that ensures smooth and quiet operation, enhancing your bathroom experience. Crafted from premium SS 304, it offers exceptional durability and sturdiness.


**Features:**

- Soft-close sliding shower system for smooth, silent door movement
- SS 304 hardware for long-lasting durability and strength
- Sliding door functionality for space-saving design and easy access


**Specifications:**




Glass Thickness  
8-10mm



Door Height  
upto 2.1mtr.




SS 304  
Material




Door Width  
800mm

**Typology:**




ELIZA SL SC  
ELIZA SL (1+1)  
ELIZA (1+1)  
Linear 180°




ELIZA SL  
Corner 90°


**Available Finishes:**




Black Matt



Antique Brass



PSS



CP



# ELIZA SL SC


SS 304 Frameless Soft Close  
Sliding Shower System (1+1)


**Product Code**  
OSL-ED-SYS-22SC 2M PSS  
OSL-ED-SYS-22SC 2M BM  
OSL-ED-SYS-22SC 2M ANTIQUE BRASS


- Specifications:**
- Door Configuration : 1 Fixed + 1 Sliding Door
  - Glass Thickness : 8-10mm
  - Door Width : 800mm
  - Door Height : 2100mm
  - Door Weight : 40-45kg


Uniform finish throughout the system.  
Customizable size available in stock.

**Available Finishes:**

  
Black Matt

  
PSS

  
Antique Brass



# ELIZA SL


SS 304 Frameless Sliding Shower System (1+1)

**Product Code**  
OSL-ED-SYS-11 2M BM  
OSL-ED-SYS-11 1.65M PSS  
OSL-ED-SYS-11 2M PSS

- Specifications:**
- Door Configuration : 1 Fixed + 1 Sliding Door
  - Glass Thickness : 8-10mm
  - Door Width : 800mm
  - Door Height : 2100mm
  - Door Weight : 40-45kg
  - Can be customized against lead time

Uniform finish throughout the system.  
Customizable size available in stock.

**Available Finishes:**







ELIZA


SS 304 Frameless Sliding Shower System (2+2)

Product Code  
OSSL-SYS-90-1E 1.65Mx2 CP


- Specifications:
- Door Configuration : 2 Fixed + 2 Sliding Door
  - Glass Thickness : 8-10mm
  - Door Width : 800mm
  - Door Height : 2100mm
  - Door Weight : 40-45kg

Uniform finish throughout the system.  
Customizable size available in stock.

Available Finish:



PSS



## ELIZA

SS 304 Frameless Sliding  
Shower System (1+1)

**Product Code**  
OSSL-SYS-1E 3M CP


### Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 800mm
- Door Height : 2200mm
- Door Weight : 40-45kg

- Can be customized against lead time

Uniform finish throughout the system.

### Available Finish:



PSS



## Slide Fold Semi-Framed Shower Enclosures

Our Slide-Fold Semi-Framed Shower Enclosures offer the perfect blend of style, space efficiency, and practicality. The innovative sliding and folding system allows for smooth door operation while minimizing space usage, making it ideal for smaller bathrooms or areas with limited space. The semi-framed structure provides stability, while the minimalist design ensures your bathroom looks sleek and modern.



# LUMINA Series


## Premium Stainless Steel 304 Sliding Folding Shower Enclosure

The LUMINA Sliding Folding Shower Enclosure offers an innovative solution for bathrooms with limited space. This space-saving system combines the convenience of both sliding and folding doors, making it ideal for compact areas while maintaining a sleek, modern aesthetic.


**Features:**

- Sliding and folding system for optimal space utilization
- Magnetic seal for secure door locking and water containment
- Bottom threshold to effectively separate dry and wet areas
- Customizable panel width to suit different space requirements
- Easy-to-install system for quick setup


**Specifications:**




Glass Thickness  
8mm



Door Height  
upto 2.2mtr.




SS 304  
Material



Door Width  
700-750mm

**Typology:**



OZ-FOLDING SHOWER 90° 1x1x2M  
Corner 90°

**Available Finishes:**



Black Matt



PSS



# LUMINA-11

SS 304 Sliding Folding  
Shower Enclosure

**Product Code**

OZ-FOLDING SHOWER 90° 1x1x2M BM  
OZ-FOLDING SHOWER 90° 1x1x2M PSS

**Specifications:**

- Glass Thickness : 8mm
- Door Width : Up to 750mm
- Door Height : 2000mm
- Material : SS 304
- Door Weight : Up to 40kg
- Frontal View : 35mm

Uniform finish throughout the system.  
Customizable width available in stock.

Half-Open



Full-Open



Hardware





# LUMINA-22

SS 304 Sliding Folding  
Shower Enclosure

**Product Code**  
OZ-FOLDINGSHOWER 1.2x1.2x2.2M BM

- Specifications:**
- Glass Thickness : 8mm
  - Max. Door Width : 700mm
  - Max. Door Height : 2200mm
  - Max. Depth : 1200mm
  - Material : SS 304
  - Door Weight : Up to 30-35kg
  - Frontal View : 35mm

Uniform finish throughout the system.  
Customizable width available in stock.


Half-Open



Full-Open



Towel Bar







## Slide Fold Frameless Shower Enclosures

---

Our Slide-Fold Frameless Shower Enclosures combines elegance, space efficiency, and functionality. The sliding and folding doors are easy to use and save space, making them perfect for small bathrooms. The frameless design looks modern, giving your bathroom a stylish and contemporary feel.

# LUMINA Series


## Premium Stainless Steel 304 Sliding Folding Shower Enclosure

The LUMINA Sliding Folding Frameless Shower Enclosure combines sleek design with practical functionality. Featuring a 90° configuration and a space-saving sliding and folding system, it includes a shower seal to effortlessly separate dry and wet areas.


**Features:**

- Sliding and folding system for optimal space utilization
- Shower seal to keep dry and wet areas
- Customizable panel width for tailored solutions
- Easy-to-install


**Specifications:**




Glass Thickness  
8mm



Door Height  
upto 2.2mtr.




SS 304  
Material



Door Width  
1150mm

**Typology:**



OZSL-FOLDINGSHOWER90° 1.2x1.2x2.2M  
Corner 90°

**Available Finishes:**



Black Matt



# LUMINA-33

SS 304 Sliding Folding  
Shower Enclosure

**Product Code**  
OZSL-FOLDINGSHOWER90° 1.2x1.2x2.2M BM

- Specifications:**
- Glass Thickness : 8mm
  - Max. Door Width : 1150mm
  - Max. Door Height : 2200mm
  - Max. Depth : 1200mm
  - Material : SS 304
  - Door Weight : Up to 35-45kg
  - Frontal View : 35mm

Uniform finish throughout the system.  
Customizable width available in stock.

Half-Open



Full-Open



Towel Bar






WALK-IN SHOWER CABIN




A modern fixed-frame partition screen, ideal for those seeking an open shower design without enclosures. It separates the bath and WC areas, offering a sleek, functional, and water-efficient solution for contemporary bathrooms.

Typical Layout



Specifications:

- Standard Section : 45 x 22mm
- Max. Partition Height : 3mtr
- Max. Width : 1.5mtr



SHOWER SHELF



SHOWER SEATS



Shower Shelf

Organize your shower essentials effortlessly with our Shower Shelf, a slim and practical addition to your bathroom.

Key Features

- Fit for 8-10mm glass
- Aluminium shelves, wall profile, and seal ensure durability
- Customizable shelf configuration
- Three types of shelf plates

Shower Seats

Experience bathing comfortably with our Shower Seats, designed to provide ease and relaxation, especially for elderly individuals.

Key Features

- Space-saving design
- Comfort and accessibility
- Easy-to-install
- Various options available



OZ-SH-S01 STD WOOD

Wall Mount Folding up Chair  
Bracket + Wooden Seat  
Size: W 490 x D 410 x H 380



OZ-SH-S02 STD WHITE

Wall Mount Folding up Chair  
with Supporting Leg in SS 304  
PU Foam Seat  
Size: W 410 x D 365 x H 100/475



OZ-SH-S03 STD WOOD

Wall Mount Folding up Seat  
with Supporting Leg in SS 304  
Bracket + Wooden Seat  
Size: W 380 x D 310

**HARDWARE & ACCESSORIES**



**HARDWARE & ACCESSORIES**



HINGES



GLASS CONNECTORS



WALL-TO-TRACK  
CONNECTORS



REINFORCEMENT BARS



DOOR HANDLES



TOWEL BAR HANDLES



SHOWER KNIGHT  
HEAD FITTINGS



TOP TRACKS



## International Offices



### Melbourne, Australia

32-40 Tarnard Drive, Braeside VIC  
3195, Tel: +61 1300 088 225  
Mob +61 (0) 4 301 301 02  
info@ozoneaustralia.com.au  
www.ozoneaustralia.com.au



### Dubai, UAE

OZONE MEA TRADING LLC  
Office no 129, Al Uruba Business  
center, garhoud views building,  
mezzanine floor (M1-3) Al  
Garhoud, PO Box 430704,  
Dubai UAE.

## Works

### Cluster-1

Ozone Overseas Pvt. Ltd.  
Trilokpur Road, Kheri,  
Nahan District-Sirmour,  
Kala Amb,  
Himachal Pradesh

### Cluster-2

Ozone Overseas Pvt. Ltd.  
Industrial Area Ghiloth,  
Alwar,  
Rajasthan

### For Security Solutions:

#### Gurugram\*

#548 Udyog Vihar, Phase 5,  
Sector 19, Gurugram,  
Haryana-122016  
Tel: +91 124 4961164, 65

## Experience Centres

### Ozone Experience Centre

Build HQ, Raja Annamalai  
Building, 1st Floor, Rukmani  
Lakshmipathi Rd, Egmore,  
Chennai, Tamil Nadu - 600008

### Ozone Experience Centre

Mehrauli-Gurgaon Road,  
Opp. Metro Pillar No-94,  
Gadaiapur, Sector-28,  
New Delhi - 110030

### Ozone Experience Centre\*

Ground Floor, Eldeco  
Corporate Chamber -1,  
Vibhuti Khand, Gomti  
Nagar, Lucknow - 226010

## Branch Offices

### Ahmedabad

407, 4<sup>th</sup> Floor, Shivalik Abaise,  
Opp. Shell Petrol Pump,  
Pralhadnagar,  
Ahmedabad - 380051  
Tel: +91 079 29706789

### Bengaluru

No. 424, 2<sup>nd</sup> Floor, Above  
HDFC Bank,  
Passport Office Road, 6<sup>th</sup> block,  
Koramangala, Bengaluru - 560034  
Tel: +91 80 41207539  
blrhub@ozone-india.com

### Chandigarh

SCO 907, NAC Mani Majra  
Near Solitaire Hotel,  
Chandigarh - 160101  
Mob: +91 9316001154

### Chennai

1-A, Jasoda Apartments,  
No: 12, Ground Floor, Bank Street,  
Kilpauk, Chennai - 600010.  
Tel: 044 43802063

### Cochin

Ozone Overseas Pvt Ltd.  
Room No. BO, 1st Floor, G 142,  
Street A, Panampilly Nagar,  
Ernakulam 682036

### Hyderabad

Unit # 704, 7<sup>th</sup> Floor,  
Shangrila Plaza,  
Road No. 2, Banjara Hills,  
Hyderabad - 500034

### Jaipur

27, 5<sup>th</sup> Floor, Mahima Trinity Mall,  
Sweij Farm, New Sanganer Road,  
Jaipur-302019  
Tel: +91 141 2294261  
jaipurhub@ozone-india.com

### Kolkata

4 Govt Place, 4<sup>th</sup> floor,  
Room No:- 4H  
Delta House. Kolkata - 700001  
Mob: +91 9831176481

### Pune

#105, 1<sup>st</sup> Floor, Suyog Center  
Market Yard, Gultekdi,  
Pune - 411037  
Mob: +91 7678117567

### Mumbai

The Avenue, 607,  
Near Waterstones Hotel,  
Int. Airport Road,  
Marol, Andheri (E),  
Mumbai - 400059  
Tel : +91 22 28306453  
Mob: +91 7045775977

### Surat

201, Luxuria Business Hub,  
Nr.V.R.Mall, Surat-Dumas Road,  
New Magdalla Road,  
Surat - 395007  
Mob: +91 9724009921

### Visakhapatnam

Door No 48-3-39, Sarayu Residency  
Srinagar, Opp. Day and Night  
Hospital, Visakhapatnam  
A.P. 530016  
Mob: +91 9515156438

\*Also Operation Office



Visit Website

COPYRIGHT© MAY 2025 #1 OZONE OVERSEAS PVT. LTD.

Specifications are subject to change without any prior notice



Corporate Office: H-40, Bali Nagar, New Delhi - 110015, INDIA

www.ozone.in | Customer Care: +91 9310012300 | customercare@ozone.in